

Work Order ID 57412

April 6, 2010 3:09:20 PM



Page 1

Item ID: D4054-001

Accept



Setup Start



Revision ID:

Stop



Item Name: Tube Assembly

Start Date: 4/06/10 Start Qty: 6.00



Cust Item ID:

Required Date: 4/12/10 Req'd Qty: 6.00

Customer:

Reference:

Run Start



Approvals: Process Plan: W Date: _____ Tooling: _____ Date: _____

Stop



QC: _____ Date: _____ SPC (Y/N): _____ Date: _____

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Draw Number	Draw Rev.	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
--------------------------------	--------------------------	----------------------	----------------	--------------	--------------	---------------	---------------	------------------	----------------

Draw Nbr	Revision Nbr
----------	--------------

D4054	A
-------	---

6X

100

0.00



Small Fab

Small Fab

Memo

0.00

Small Fab

Bend tube as per Dwg D4054

Install sleeves and nuts

Flare ends as per Dwg D4054.

= 7 m-h 10/04/08

110

QC5- Inspect part completeness to step on W/O

0.00



QC

Memo

0.00

Quality Control

8 10/04/09

*6

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Work Order ID 57412

April 6, 2010 3:09:20 PM



Page 2

Item ID: D4054-001

Accept



Setup Start



Revision ID:

Stop



Item Name: Tube Assembly

Start Date: 4/06/10

Start Qty: 6.00



Cust Item ID:

Required Date: 4/12/10

Req'd Qty: 6.00



Customer:

Reference:

Run Start



Approvals:

Process Plan: _____

Date: _____

Tooling: _____

Date: _____

Stop



QC: _____

Date: _____

SPC (Y/N): _____

Date: _____

Sequence ID/
Work Center IDOperation
DescriptionSet Up/
Run HoursDraw
NumberDraw
Rev.Plan
CodeAccept
QtyReject
QtyReject
NumberInsp.
Stamp

120

Identify as per dwg & Stock Location: 193

0.00



Packaging

Memo

0.00

Packaging

10/4/13

130

QC21- Final Inspection - Work Order Release

0.00



QC

Memo

0.00

Quality Control

10/04/14 MF
10-4-14

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Picklist Print

April 6, 2010 3:09:19 PM

Page 1

Work Order ID: 57412

Parent Item: D4054-001

Parent Item Name: Tube Assembly


Comments: IPP rev A 10.01.19 new issue EC verified by:DD

Start Date: 4/06/10

Required Date: 4/12/10

Start Qty: 6.00

Required Qty: 6.00

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Remaining Qty To Pick	Qty Issued	Date Issued	Status
AN818-8D 		Purchased	No			100	Each	39.0000	12.0000			
Nut												

Warehouse
Location

Main Warehouse

ST331

113795 ✓

Loc Qty

39

39

Loc Code

M6061T6T0.500W.049

Purchased

No



6061-T6 RD Tube .500 x.049W

100

f

66.5830

11.2421

12 X

m-h
10/04/08

Warehouse

Location

Main Warehouse

MAT014

111028 ✓

111944

Loc Qty

66.583

36

30.583

Loc Code

MS20819-8D

Purchased

No



Sleeve

100

Each

70.0000

12.0000

Warehouse

Location

Main Warehouse

ST323

112612 ✓

113795

Loc Qty

70

20

50

Loc Code

12 X

m-h 10/04/08

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector



Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

ITEM NO.	QTY -001	P/N	DESCRIPTION
1	X	D4054-001	TUBE ASSEMBLY
2	2	MS20819-8D	SLEEVE
3	2	AN818-8D	NUT



D4054-001 TUBE ASSEMBLY

NOTES:





- 1) MATERIAL: 6061-T6 SEAMLESS ALUMINUM TUBING 0.500 O.D. x 0.049 WALL
PER VVV-T-700/6
REF DART SPEC M6061T60.500W.049
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY WITH DART P/N "D4054-001" USING FINE POINT PERMANENT INK MARKER
- 7) WEIGHT: 0.20 lbs
- 8) TUBING ASSEMBLIES TO BE CUT AND BENT IN ACCORDANCE WITH TEMPLATE D4054-001T1
- 9) TUBES TO BE FLARED 37° TO MATE WITH MS33514 FITTINGS, TYPICAL
- 10 ENSURE SEAMLESS TUBING IS USED

REV.	NEW ISSUE	RF	09.12.30
DESIGN	RF	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	RF	DRAWING NO.	REV. A
CHECKED	RF	D4054	SHEET 1 OF 3
MFG. APPR.	RF	TITLE	SCALE
APPROVED	RF	TUBE ASSEMBLIES	NTS
DE APPR.	RF	COPYRIGHT © 2009 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	
DATE	09.12.30		

RELEASED
2010-01-14
md

md
57412

ITEM	QTY -003	P/N	DESCRIPTION
1	X	D4054-003	TUBE ASSEMBLY
2	2	MS20819-8D	SLEEVE
3	2	AN818-8D	NUT



NOTES:

- 1) MATERIAL: 6061-T6 SEAMLESS ALUMINUM TUBING 0.500 O.D. x 0.049 WALL
PER WV-T-700/6
REF DART SPEC M6061T60.500W.049
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY WITH DART P/N "D4054-003" USING FINE POINT PERMANENT INK MARKER
- 7) WEIGHT: 0.21 lbs
- 8) TUBING ASSEMBLIES TO BE CUT AND BENT IN ACCORDANCE WITH TEMPLATE D4054-003T1
- 9) TUBES TO BE FLARED 37° TO MATE WITH MS33514 FITTINGS, TYPICAL
- 10) ENSURE SEAMLESS TUBING IS USED




D4054-003 TUBE ASSEMBLY

DESIGN	RF	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	RF		
CHECKED	<i>[Signature]</i>	DRAWING NO. D4054	REV. A
MFG. APPR.	<i>[Signature]</i>	SHEET 2 OF 3	
APPROVED	<i>[Signature]</i>	TITLE	SCALE
DE APPR.	<i>[Signature]</i>	TUBE ASSEMBLIES	NTS
DATE	09.12.30	COPYRIGHT © 2003 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	

RELEASED
2010-01-14
[Signature]

uly 57412

ITEM	QTY -009	P/N	DESCRIPTION
1	X	D4054-009	TUBE ASSEMBLY
2	1	MS20819-8D	SLEEVE
3	1	AN818-8D	NUT



D4054-009 TUBE ASSEMBLY

NOTES:

- 1) MATERIAL: 6061-T6 SEAMLESS ALUMINUM TUBING 0.500 O.D. x 0.049 WALL
PER WW-T-700/6
REF DART SPEC M6061T60.500W.049
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY WITH DART P/N "D4054-009" USING FINE POINT PERMANENT INK MARKER
- 7) WEIGHT: 0.07 lbs
- 8) TUBING ASSEMBLIES TO BE CUT AND BENT IN ACCORDANCE WITH TEMPLATE D4054-009T1
- 9) TUBES TO BE FLARED 37° TO MATE WITH MS33514 FITTINGS
- 10 ENSURE SEAMLESS TUBING IS USED

WLB
5/24/12

RELEASED
2010-01-14
MD

DESIGN	RF	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	RF		
CHECKED	<i>RF</i>	DRAWING NO. D4054	REV. A
MFG. APPR.	<i>RF</i>	SHEET 3 OF 3	
APPROVED	<i>RF</i>	TITLE	SCALE
DE APPR.	<i>RF</i>	TUBE ASSEMBLIES	NTS
DATE	09.12.30	COPYRIGHT © 2009 BY DART AEROSPACE LTD <small>THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD</small>	